matki

EAUZONE PLUS EWP-10mm WETROOM PANEL EWT-12mm WETROOM PANEL

INSTALLATION

PARTS LIST



MATKI PLC, CHURCHWARD ROAD, YATE, BRISTOL, BS37 5PLTELEPHONE: 01454 322888 (CUSTOMER SERVICES).EMAIL: techsupport@matki.co.uk

IMPORTANT

Before disposing of carton and/or commencing assembly, please check all the parts to ascertain that none are missing and they are all undamaged. No claim for missing/damaged parts will be accepted once the packing carton has been disposed of and/or assembly has commenced.

In case of query contact your Stockist with details of model number and details of serial number.

PREPARATION IMPORTANT

1. Please read complete installation instructions before fitting for enclosure and tray (if fitting).

2. We recommend that two people are available for fitting of Wetroom Panel, Stage 2. The **Eauzone Plus** range is **10mm Glass** construction. Large glass panels are very heavy. We recommend the use of safety glasses and non slip gloves when handling the glass panels.

3. Ensure that the product can be **fixed** to a **solid masonry wall** or suitable **timber stud work grade C16/C24** in the area behind the wall frames and panel fixing brackets.

4. Shower trays or tiled floors must be absolutely level where enclosures are fitted

5. If fitting a tray we recommend a drainage test is carried out before the tray is tiled in position.

6. The assembly should be installed onto a waterproof wall covering and installed after the tray and wall coverings are in place. Trays with tiling lips should be let into the wall with the tiling lip flush with the wall to allow the tiling to overlap the tiling lip.

7. Seal between tray and tiles. Remove any excess sealant from the area/joint between the tray and the tiles where the wall mount is to be fitted. This will ensure the wall mount fits correctly to the wall and tray/or tiled floor.

CAUTION: TEMPERED GLASS CANNOT BE CUT, POLISHED METAL AND CHROME CAN BE SCRATCHED. CAREFULLY REMOVE ASSEMBLY FROM CARTON, DO NOT PLACE GLASS ON HARD FLOOR OR EXPOSE EDGES TO IMPACT.


DIMENSIONS

Dimensions are approximate

EAUZONE PLUS WET ROOM PANEL


MODEL TOTAL WIDTH A			
EWP200	201 - 216		
EWP250	251 - 266		
EWP300	301 - 316		
EWP350	351 - 366		
EWP400	401 - 416		
EWP450	451 - 466		
EWP500	501 - 516		
EWP550	551 - 566		
EWP600	601 - 616		
EWP750	750 - 765		
EWP800	785 - 800		
EWP850	850 - 865		
EWP900/EW	/T900 900 - 915		
EWP1000/E	WT1000 990 - 1005		
EWP1200	1185 - 1200		
EWT1200	1190 - 1205		
EWP1300	1290 - 1305		
EWP1400	1390 - 1405		
EWP1500	1490 - 1505		





THE STAGES IN THIS INSTALLATION BOOKLET SHOW AN LH INSTALLATION REVERSE FOR RH






This stage is describing the Wall Mount installation.

a. Position the wall mount on to the wall in the desired position. If fitting an EWP 1200 -1500 please check the maximum adjustment length of the Brace Bar for the installation depth. If fitting the panel close to the front edge of a shower tray take into account that the front face of the wall mount sits 5mm forward from the glass panel horizontal frame. Plumb the wall mount for upright and mark the fixing holes on the wall in the centre of the slots in the back face of the wall mount. Drill the fixing holes in the wall and insert the wall plugs. Clean the area.

b. Apply silicon sealant to the area behind the wall mount between the floor or tray and the tiles and 100mm up the wall, central to the width of the wall mount. Fit the wall mount with the 5 x No. 8 x 32mm Pan head screws. (Kit of parts)
c. Fit the wall mount seal into the wall mount by pinching the sides together and fitting it into the wall mount until it snaps into position, the bottom of the seal should sit on the floor/tray.



This stage is describing the fitting of the glass panel. We recommend two people are available for this stage. The Wetroom Panel Top Bracket is unhanded. To change the orientation of the bracket to suit your product; remove the screws, flip the inside 'L' Shaped part over and re-attach with the screws in the top holes.


a. Lightly wet the edge of the glass panel with soapy water and gently lower the panel into the wall mount. Push the top of the panel into the wall mount first, followed by the bottom.

b. Fitting of Wetroom Panel Top bracket: Fit the rubber 'U' shaped gasket onto the top edge of the glass with the grooved face of the gasket facing outwards. Fit the wall bracket over the glass and onto the top of the wall mount.

C. Mark the centre of the slotted holes in the wall bracket onto the wall. Remove the wall bracket and drill and fix the wall plugs.

b. Refit the wall bracket. Clamp the bracket onto the glass by tightening the clamping screws on the inside of the bracket. Fit the clamping screw cover caps into the two unused holes on the inside of the wall bracket. Apply a small spot of silicon in the holes before fitting the caps.

c. Fix the bracket to the wall using the No.8 x 50 Pan head screws and fit the bracket screw cover caps



This stage is describing the fitting of the EWP 1200 - 1500 Brace Bar

a. For Wetroom panels 1200 - 1500 a Brace Bar is supplied. The brace bar can be cut down to suit the width of the installation. Measure the distance between the inside face of the glass and the wall, dimension A. Unscrew the compression wall plate and nut to expose the wall end of the brace bar. Carefully measure and mark the length of the brace bar from the inside of the glass clamp face to the end of the bar to the length dimension A - 7mm.

Cut the brace bar to length and re-assemble to the wall fitting. Fit the brace bar into position on the glass panel and hold in position, using a level plumb and mark the centre of the wall plate. Drill the fixing hole in the wall and insert the wall plug. Fix the wall plate to the wall using the No 8 x 32mm csk screw ensuring the rubber washer (Kit of parts) is fitted behind the wall plate. Reassemble the compression fitting at the wall (ensure the wall plate cover is fitted to

the bar at this point). Carefully fit the brace over the glass panel and screw the brace nut onto the wall plate.

b. Using spanners, tighten the brace nut onto the wall plate until fully tightened. Slide the wall plate cover over the wall plate assembly.

C. Lightly tighten the brace nut onto the the clamp body at the glass end of the brace until the clamp body is fixed to the glass. Do not over tighten the clamp over the glass.

d. Apply a thin bead of Silicon all the way up the outside of the Wall Mount - between the Wall Mount and the tiles. Silicone along the bottom edge of the Wall Mount - where the Wall Mount meets the Tiles/Tray/Flooring. Silicon about 50mm up the joint where the wall mount seal joins the Wall mount. It is important to create a water-tight seal between the Panel Glass, Glass Edge Protector (on the bottom edge of the Panel) and the Tiles/Tray/Flooring. Apply a fillet of Silicone that covers these parts all the way along to the wall mount. Masking tape can be used to achieve a tidy edge to the sealant. Remove the masking tape immediately and allow the silicon to cure for 24 hours before using the shower.


EWT - CHROME TOWEL RAIL (PART NUMBER 8633 AF)

STAGE 4

Fitting the Chrome Towel rail

Disassemble the towel rail by loosening the 2 x M5 x 6 Socket set screws on the underside. Unscrew the 2 x rail connectors. Place the 4 x black glass washers either side of the 2 holes in the glass. Place the towel rail with the threads inside up to the outside of the glass screwing through the handle connectors from the inside to hold the front of the rail in position. Once the front is secure, place the back of the rail onto the Handle connectors, secure in position by tightening the 2 x Socket set screws on the underside of

the rail.




PARTS LIST

* ITEM VARIES DEPENDING ON MODEL

WALL MOUNT & TOP BRACKET PARTS KIT	6178 AF	QTY
No.8 x 32 PAN HEAD SELF TAP SCREW	1471 A SILVER	5
WALL PLUG	1818 AF	7
NRP HINGE BRACKET CAP	5579 A SILVER	2
No.8 x 51mm(2") PAN HEAD SCREW	1492 A SILVER	2

BS WETROOM PARTS KIT	7321 AF	QTY
2.5mm ALLEN KEY	1168 AF	1
3mm ALLEN KEY	1167 AF	1
SILICON SEALANT	1967 AF	1



	PARTS LIST			
ITEM	DESCRIPTION	PART No.	QTY	LENGTH
1	GLASS PANEL	SPECIFY MODEL SIZE	1	
2	WET ROOM BRACE KIT (10mm) (MODEL EWP 1200 - 1500 ONLY)	5529 A SILVER	1	
3	WALL MOUNT SEAL 10mm	2390 CLEAR	1	
	WALL MOUNT SEAL 12mm	2429 CLEAR	1	
4	UNIVERSAL WALL BRACKET		1	
5	WET ROOM PANEL WALL MOUNT (EWP)	5810 STEEL	1	
	WET ROOM PANEL WALL MOUNT (EWT)	8596 STEEL	1	
6	GLASS EDGE PROTECTOR (EWP)	6091 CLEAR	1	
	GLASS EDGE PROTECTOR (EWT)	8588 AF	1	

We recommend that these instructions are handed to the user with a note of a date of purchase and model details. To order replacements quote:Part Descriptions, Model, Part Number and Colour.

Matki Glass Guard Easy Clean Surface Protection (optional) and General Cleaning Guide

Cleaning Instructions

Matki Glass Guard allows water to form minute beads which easily trickle off the surface of the glass. This makes the glass easier to clean - the glass does not need to be cleaned as frequently, but it does require occasional maintenance. As less cleaning is required the use of detergents can be minimised thus helping to protect the environment. The lifespan of the Matki Glass Guard is dependant on the frequency of use of the shower and the degree of water hardness.

The combination of alkaline materials and humidity affects glass in an extremely aggressive way. Do not use bleach, alkaline, acid-based or aggressive and abrasive glass cleaners, detergents or household cleaning products on the glass or frames.

We recommend that glass is washed down with clean water and a soft clean cloth or sponge and dried off with a microfibre cloth.

The special coating is only present on the inside of the glass.

Matki Glass Guard is guaranteed for 2 years provided that the guidelines and cleaning instructions are followed.

Aluminium and Chrome parts should be cleaned with a mild non scratch household cleaner and a soft cloth or sponge.


Do not use acidic-based descaler products or products which are unsuitable for cleaning enamelled surfaces, including abrasive cleaners or cleaners containing bleach or solvents, as the products will effect the anodised framework. Under no circumstances use cleaners with a pH level exceeding 8.

Matki does not recommend the use of 'Leave-on' shower cleaners on Matki Glass Guard Products.

Water Softeners and Glass Guard - Certain types of water softeners increase the alkalinity of the water due to a carry-over of Chloride during re-generation which can cause aggressive water spots on both untreated and Glass Guarded glass. If using a water softener we recommend a two-cylinder machine with automatic re-generation instead of a timer. If a single-cylinder water softener with timer is already installed it is recommended that after each shower excess water is removed from the glass with a squeegee or with a microfibre cloth.



Wash down with clean warm water and a soft clean cloth or sponge.



Do not use bleach, alkaline or acid-based, aggressive or abrasive cleaning products.

Flash Bathroom Spray or Cif Bathroom Spray can be used on Matki Products. Read manufacturers label before using any cleaning materials.

IMPORTANT

Matki Glass Guard is guaranteed for 2 years. It is essential that the cleaning instructions are followed in order to maintain the hydrophobic properties of the glass coating. In the event of the failure to comply in any way with these instructions, any warranty or guarantee will be null and void.



MATKI PLC, CHURCHWARD ROAD, YATE, BRISTOL, BS37 5PL

TELEPHONE: 01454 322888 (CUSTOMER SERVICES). EMAIL: techsupport@matki.co.uk