


HiB

MAKING
BATHROOMS
BEAUTIFUL

**Technical Drawing &
FAQ Data Sheets**




Outline 50
Outline 60
Outline 80

HiB recommend you receive the product before commencing with installation as all sizes and measurements are approximate.
 HiB try and ensure all measurements are as accurate as possible.
 In the interest of continuous product development, HiB reserves the right to alter specification as necessary. E & OE.


Outline 50

Art no. 78757000



Outline 60

Art no. 78758000



Electrical Safety Information

HiB recommends that all electrical bathroom products should only be fitted by a suitably qualified, Part P registered electrician in accordance with current IEE regulations.


Ensure mains power supply is switched off before starting installation.

Before drilling, ensure there are no hidden cables or pipes in the wall.

HiB recommend you receive the product before commencing with installation as all sizes and measurements are approximate.
HiB try and ensure all measurements are as accurate as possible.
In the interest of continuous product development, HiB reserves the right to alter specification as necessary. E & OE.

Outline 80

Art no. 78759000



Electrical Safety Information

HiB recommends that all electrical bathroom products should only be fitted by a suitably qualified, Part P registered electrician in accordance with current IEE regulations.


Ensure mains power supply is switched off before starting installation.

Before drilling, ensure there are no hidden cables or pipes in the wall.

Outline

50, 60 & 80

Product FAQ Data Sheet

			Version No. 04.10.21
	Product	Outline 50, Outline 60 & Outline 80	
	Art. No.	Outline 50: 78757000, Outline 60: 78758000 & Outline 80: 78759000	
	Product Description	Bathroom mirror with back-lit LED along with top and bottom ambient lighting. Featuring a heated pad, sensor switch & mirrored profile.	

Question	Answer
Gross weight (kg)	Outline 50: 6.65 kg / Outline 60: 8.5kg / Outline 80: 9.5 kg
Light Source	LED
Light Source Average Lifespan	Average 20,000 hr
Total Rated Wattage (W)	Outline 50: 34.5w / Outline 60: 52.8w / Outline 80: 55.7w
Lumens (Lm)	Outline 50: 1545 lm / Outline 60: 1905 lm / Outline 80: 2145 lm
Kelvins (k)	Outline 50: 6400k / Outline 60: 6400k / Outline 80: 6400k
Is the mirror dimmable?	No
Energy Rating	E
What orientation can the mirror be hung in?	Outline 50: Portrait only / Outline 60: Portrait only / Outline 80: Landscape only
Is the heated pad only on when the mirror is illuminated?	Yes
Does the mirror require an earth connection?	Yes
Can I bypass the sensor so the mirror comes on with the main room light?	Yes
Is it cool white or warm white illumination?	Cool white only
How long is the warranty?	5 years from date of purchase on silvering coating on mirror 2 years from date of purchase on electrical components in the mirror

Electrical Safety Information

HiB recommends that all electrical bathroom products should only be fitted by a suitably qualified, Part P registered electrician in accordance with current IEE regulations.

Ensure mains power supply is switched off before starting installation.

Before drilling, ensure there are no hidden cables or pipes in the wall.

HiB recommend you receive the product before commencing with installation as all sizes and measurements are approximate.

HiB try and ensure all measurements are as accurate as possible.

In the interest of continuous product development, HiB reserves the right to alter specification as necessary. E & OE.

T: +44 (0)20 8441 0352 F: +44 (0)208441 0219 E: sales@hib.co.uk W: hib.co.uk

HiB Ltd. Building 3, North London Business Park, Oakleigh Road South, New Southgate, London. N11 1GN